

A VERSATILE RANGE OF TOP QUALITY CLOTHS

This label warrants your quality

A UNIQUE LABEL

Fibercon sailcloth is woven with our exclusive Fibercon high tenacity yarn.

WHY DO WE SPIN OUR OWN POLYESTER HIGH TENACITY YARN?

The production of polyester fibers has increasingly been outsourced to low cost countries where spinning companies no longer produce fibers to the quality and specifications necessary for weaving superior sailcloth. The trading name of these fibers has remained the same but the actual performance of the fibers has degraded dramatically. As the leader in premium woven sailcloth, Contender has always realised that the fiber used in our cloth is as important as the weave and finish. We have always been in control of the weave and finish and now we have taken control over the quality of the fiber as well.

HIGH TENACITY YARN

High tenacity means high breaking strength and low stretch.

UV RESISTANT YARN

UV radiation from sunlight can break down polyester fibers. We added UV blockers to the Fibercon polymer so when you select Fibercon sailcloth you are getting the highest UV resistance available in any sailcloth.

FIBERCON YARN AVAILABLE IN A WIDE RANGE OF SIZES

The selection of fibers for their size is an important aspect of determining the sailcloth's properties relative to weight and balance. Fibercon fibers are spun in a wide range of sizes engineered to construct a complete series of premium styles.



Woven in different countries of the European Union,
finished at Contender Finishing GmbH



Fibercon
by Contender sailcloth




FIBERCON® ALL PURPOSE (AP)

A versatile range of top quality cloths, without a premium price tag!


➔ *Designed for cross-cut sails from 28 to 52 feet*

Looking for a sail with a really competitive price tag without compromising quality or durability? Choose Fibercon® AP. Our Fibercon® AP cloth enables your sailmaker to make sails at a competitive price without compromising quality or durability. Efficiently woven from our exclusive Fibercon® yarns, the “all purpose” construction of Fibercon® AP with our Polyprop finish can be used in a huge range of cruising sails.


We recommend a medium or firm Polyprop finish for our Fibercon® AP cloth. The medium Polyprop finish is optimised for ease of handling, the firm Polyprop finish for the diagonal stability that is needed in more performance oriented sails.



Storm Orange available in 8.38 and 10.38 only



Cool Grey available in 6.38, 7.38, 8.38 and 9.38 only



Black available in 6.38, 7.38 and 8.38 only

APPLICATIONS FIBERCON® ALL PURPOSE (AP)

BOAT LENGTH		MAINSAIL		HEADSAIL	
IN FT	IN M	MULTIHULL	MONOHULL	100% FURLING	135% FURLING
± 28	± 8	7.38	6.38	6.38	5.38 / 6.38
± 32	± 10	8.38	7.38	7.38	6.38
± 36	± 11	9.38	8.38	8.38	7.38
± 40	± 12	10.38	9.38	9.38	8.38
± 44	± 13	11.38	10.38	10.38	9.38
± 48	± 14	12.38	10.38	10.38	10.38
± 52	± 16	2 × 8.38	11.38	11.38	10.38

Fibercon®